

ABS 12-24SCM

DUAL-VOLT ABS
ABS 12V ... 24V auf 24V
in rack, truck side



Special converter for the supply of a 24V anti lock system ABS/EBS out of 12V or 24V. The converter input is equipped with a 12V ABS/EBS plug and the output with a 24V ABS/EBS socket. The converter is mounted in a stainless steel rack with a parking socket and is ready for use. Normal case: truck side mounting. The contacts 6 and 7 ("CAN-Bus") are unequipped.

- * **input voltage 12V and 24V**
- * **high power for additional functions like EBS and level control**
- * **compact size by high efficiency**
- * **unit ready for use with parking socket, fast to mount on the truck side**
- * **info-module works properly**
- * **electronical protection against reverse polarity without short circuit**
- * **protection against overload**
- * **stainless steel metal rack**
- * **reverse voltage proof independent from polarity**
- * **up to 40km/h the cable KN-ABSUEFT for the input is also legal (follow regulations)**

<u>input voltage:</u>	9 ... 33V DC both lines
<u>output voltage:</u>	27V +5% (27 ... 32V if input above 27V)
<u>output current line (term. 15):</u>	0 ... 500mA
<u>output current line (term. 30):</u>	0 ... 10A (15A /20% on time cycle)
<u>input connection:</u>	ABS / EBS plug 12V ISO'7638-2
<u>output connection:</u>	ABS / EBS socket 24V ISO'7638-1
<u>cable length input:</u>	ab. 370mm
<u>dimensions:</u>	300 x 150 x 87mm + socket 45mm
<u>mechanical protection:</u>	entirely sealed (IP 69K) stainless steel rack
<u>total efficiency:</u>	app. 80%
<u>mass:</u>	app. 3,30 kg
<u>approval:</u>	E1 10R-047161

Order Info:

11196